

VAUDE Restricted Substance Lists (RSL)

Version 6.0 / January 2024





Content:

1.	The VAUDE RSL	2
	1 Scope	
	2 Usage Range	
1	3 Testing methods	2
2.	Testing Methods	4
3.	Restricted parameters and substances	5
4.	Appendices	. 23
5.	Usage range	. 32
6.	Test items	. 35



1. The VAUDE RSL

The VAUDE RSL defines individual requirements for substances in fabric, trims and accessories. The VAUDE RSL aligns with bluesign® RSL based on bluesign® BSSL.

1.1 Scope

The document specifies restrictions (limits and bans) for chemical substances in

- articles made of textiles and leather
- accessories for textile and leather articles

1.2 <u>Usage Range</u>

Usage Range classify consumer goods according to their consumer safety relevance. Three usage ranges (A, B, C) are defined with A being the most stringent category concerning limit values and bans:

- Usage Range A: Next to skin use and baby article (0-3 years)
- Usage Range B: Occasional skin contact
- Usage Range C: No skin contact

1.3 Testing methods

The testing methods listed in the last column of the table in chapter 2 are the recommended ones. The testing methods column consists of two entries:

sample preparation, e.g. extraction, digestion, derivatisation and the test method, i.e. the actual measurement.



Depending on their availability international or national standards are also given for several substances and these methods may be applied. Other accredited methods can only be applied if it can be verified that equivalent results are obtained.

Details of the respective sample preparation methods can be found in the table below



2. <u>Testing Methods</u>

Sample preparation	Solvent(s)	Temperature (°C)	Time (min)	Other requirements
Extraction with KOH	Potassium hydroxide (1M)	90	12-15h	Derivatization with Acetic anhydride
Extraction with MeOH	Methanol	70	60	Ultrasonic bath
Extraction with THF	Tetrahydrofuran	40	60	
Extraction with DCM	Dichloromethane	40	60	Ultrasonic bath
Extraction with MTBE	Methyl tert-butyl ether	60	60	Ultrasonic bath
Extraction with water	Deionized water			
Extraction with MeOH/Acetonitrile	Methanol/Acetonitrile (1:1)	70	30	Ultrasonic bath
Extraction with Potassium carbonate solution	Potassium carbonate solution	Room temp.	60	Ultrasonic bath
Extraction with THF/Acetone	Tetrahydrofuran/Acetone	60	60	Ultrasonic bath, derivatization with Acetonitrile
Extraction with Acetone	Acetone	70	60	Ultrasonic bath
Extraction with Hexane/Dichloroethane	Hexane/Dichloroethane	70	60	i i
ASE - Accelerated Solvent Extraction	Acetone/Hexane (1:1)	100	7-	
ASE - Accelerated Solvent Extraction	Ethyl acetate	40	0.50	
Soxhlet Extraction	Acetone/Hexane (1:1)	5	480	
Headspace	-	120	45	
DIN EN ISO 105-E04 (2013)	Acidic sweat solution	37	60	Textile to liquor ratio 1:50

For headspace measures a purge & trap gas chromatography is recommended



3. Restricted parameters and substances

Parameter	Limit	Test Method// Sample Preparation
TAN	Non-leather products: 4.0 - 7.5	ISO 3071 (2020)
pH-Value	Leather products: 3.2 – 4.5 (chrome tanned leather products) 3.5 – 7.9 (other leather products)	ISO 4045 (2018)
Odor	No unpleasant odor shall be emitted from the products	SNV 195 651
Color Fastness Properties		
Color fastness to perspiration	Textiles dyed with disperse or metal complex dyes: at least 3 – 4, the goal is > 4	ISO 105-E04 (2013)
Color fastness to saliva and perspiration	Fast (corresponds to level 5 of 5-step grey scale described in ISO 105-A02 (1993)	§64 LFGB BVL B 82.10-1 in combination with DIN 53160-1 and -2 (2010)



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment		
Aldehydes	- \$2 - 111		***		*	*	:	·	ž.		
Farmer I de la code	50.00.0	Leather	Usage ban	15	75	300	mg/kg	EN ISO 17226-2 (2019) with EN ISO 17226-1 (2021) confirmation method in case of interferences.	Test method: Alternatively, EN ISO 17226-1 (2021) can be use on its own.		
Formaldehyde	50-00-0	Textiles Metal parts Polymer parts Down/feather articles	Limitation	15	75	300	mg/kg	ISO 14184-1 (2011)			
Alkylphenolethoxylates (APE	Os)										
Alkylphenolethoxylates (APEOs)	Several	All	Usage ban		100		mg/kg		For sum of all restricted APEO. Goal should be 100 mg/kg for APEOs + APs. Test methods: See NPEO.		
Nonylphenol ethoxylates	5	Textiles Metal parts Polymer parts Down/feather articles	Usage ban		100		100		mg/kg	EN ISO 18254-1 (2016) with determination of APEO using LC/MS or LC/MS/MS	For sum of all allocated
(NPÉO)	Several	Leather	Usage ban		100		mg/kg	Sample prep. and analysis using EN ISO 18218-1 (2015) with quantification according to EN ISO 18254-1 (2016)	Members/Substances. (if traces above 10 ppm are detected the source of contamination has to		
Octylphenol ethoxylates (OPEO)	Several	Textiles Metal parts Polymer parts Down/feather articles	Usage ban		100		mg/kg	See NPEO	be identified and phased out)		
		Leather	Usage ban		100		mg/kg				



Chemical Name	CAS Number	Sector of Use	Limit Type	A B C	Unit	Test Method// Sample Preparation	Comment	
Alkylphenols (APs)							·	
Alkylphenols (APs)	Several	All	Usage ban	10	mg/kg		For sum of all alkylphenols.	
		Textiles Leather	Usage ban	10	mg/kg	EN ISO 21084 (2019)		
Nonylphenol (NP), mixed isomers	Several	Metal parts Polymer parts Down/feather articles	Usage ban	10	mg/kg	EN ISO 21084 (2019), modified // 1 g sample / 20 ml THF with Sonication for 60 min at 70°C	For sum of all allocated	
		Textiles Leather	Usage ban	10	mg/kg		Members/Substances.	
Octylphenol (OP), mixed isomers	Several	Metal parts Polymer parts Down/feather articles	Usage ban	10	mg/kg	See NP		
Amines								
	060 (800 F)	Leather	Usage ban	30	mg/kg	EN ISO 17234-1 (2015)	In case aniline is detected the test	
Aniline - free content	62-53-3	Textiles Polymer parts	Usage ban	30	mg/kg	EN ISO 14362-1 (2017)	needs to be repeated without addition of sodium dithionite.	
Arylamines								
Arylamines	C. Washington	Leather	Usage ban	20 each	mg/kg	EN ISO 17234-1 (2020) EN ISO 17234-2 (2011) // for azo colorants which may release 4-Aminoazobenzene	Single substances listed in Annex. (as substance for example in PU, and as decomposition product of azo	
(including corresponding salts)	Several	Textiles Metal parts Polymer parts Down/feather articles	Usage ban	20 each	mg/kg	EN ISO 14362-1 (2017) EN ISO 14362-3 (2017) // for azo colorants which may release 4-Aminoazobenzene	colorants which, by reductive cleavage of one or more azo groups, may release one or more of the aromatic amines).	



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	С	Unit	Test Method// Sample Preparation	Comment
Biocides									
Biocides: Independent from the b Identity of the relevant biocides s									
Dimethylfumarate	624-49-7	All	Usage ban		0.1		mg/kg	ISO 16186 (2021)	
o-Phenylphenol and its	Carranal	Leather	Limitation	50	100	200	mg/kg	DIN 50000 (2021)	
salts	Several	Textiles	Limitation	50			mg/kg	DIN 50009 (2021)	
Pyrithione zinc	13463-41-7	All	Usage ban		10 r		mg/kg	DIN EN 16711-1 (2016) // Total content	Testing: Zn metal content, in case or positive result further testing with CE/ICP-MS.
Chlorinated Benzenes and Tol	uenes								
Chlorinated Benzenes and Toluenes	Several	All	Usage ban	5.0		mg/kg	EN 17137 (2018)	For sum of all allocated chlorinated benzenes and toluenes // additional regulation for each allocated Member/Substance - Usage ban 1.0 mg/kg. Single substances listed in Annex.	
Chlorinated Phenols									
Chlorinated Phenols	Several	All	Usage ban	See	e gro	oups			Single substances listed in Annex.
Mono- and Dichlorophenols	Several	All	Usage ban		1.0		mg/kg		For sum of all allocated Mono- and DiCPs.
Trichlorophenol, all isomers	25167-82-2	All	Usage ban	0.05	0.5	0.5	mg/kg	DIN 50009 (2021) EN ISO 17070 (Leather)	For sum of all allocated TriCPs.
Tetrachlorophenol, its salts and compounds	25167-83-3	All	Usage ban	0.05	0.5	0.5	mg/kg		For sum of all allocated TeCPs.
Pentachlorophenol, its salts, esters and compounds	Several	All	Usage ban	0.05	0.5	0.5	mg/kg		For sum of all allocated PCPs.
Colorants									
Colorants banned for other reasons	Several	All	Usage ban	2	0 ea	ch	mg/kg		
Colorants with allergenic potential	Several	All	Usage ban	2	20 each mg/k		mg/kg	DIN 54231 (2022)	Single substances listed in Annex.
Colorants with carcinogenic potential	Several	All	Usage ban	2	0 ea	ch	mg/kg		



Chemical Name	CAS Number	Sector of Use	Limit Type	A	ВС	Unit	Test Method// Sample Preparation	Comment
Dioxins and Furans	772		· ·	3177	355	200		
Dioxins and Furans - Group 1 and 2	Several	All	Usage ban	5	.0	μg/kg		For sum of all allocated Members/Substances to Group 1 and 2. Single substances listed in Annex
Dioxins and Furans - Group 1	Several	All	Usage ban	1	.0	µg/kg	EPA 8290A	For sum of all allocated Members/Substances to Group 1. Single substances listed in Annex
Dioxins and Furans - Group 3	Several	All	Usage ban	9	5	µg/kg		For sum of all allocated Members/Substances to Group 3 official regulation for sum of all allocated Members/Substances to Group 1, 2 and 3 - 100 µg/kg. Single substances listed in Annex
Dioxins and Furans - Group 4 and 5	Several	All	Usage ban	5	.0	µg/kg		For sum of all allocated Members/Substances to Group 4 and 5. Single substances listed in Annex
Dioxins and Furans - Group 4	Several	All	Usage ban	1	.0	µg/kg		For sum of all allocated Members/Substances to Group 4. Single substances listed in Annex
Fibers						- Alan		
Asbestos	Several	All	Usage ban	Not de	tected		REM/EDX BGI 505-46 U.S. EPA/600/R-93/116	Single substances listed in Annex
Flame retardants								
Flame retardants	Several	All	Usage ban	5.0	each	mg/kg	EN ISO 17881-1 (2016) for brominated flame retardants EN ISO 17881-2 (2016) for phosphorus flame retardants	Single substances listed in Annex
Chlorinated Paraffins, all chain lengths	Several	Textiles Metal parts Polymer parts Down/feather articles	Usage ban	5.0	each	mg/kg	ISO 22818 (2021)	Single substances listed in Annex
		Leather	Usage ban	100	each	mg/kg	ISO 18219 (2021)	



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment
lycols								V 104H 22	
2-Ethoxyethanol	110-80-5	All	Usage ban		5.0		mg/kg		
2-Ethoxyethyl acetate	111-15-9	All	Usage ban		5.0		mg/kg		
2-Methoxy-1-propanol	1589-47-5	All	Usage ban		5.0		mg/kg		
2-Methoxyethanol	109-86-4	All	Usage ban		5.0		mg/kg	GC-MS // Extraction with	
2-Methoxyethyl acetate	110-49-6	All	Usage ban		5.0		mg/kg	Markle and all	
2-Methoxypropyl acetate	70657-70-4	All	Usage ban		5.0		mg/kg		
Bis(2-methoxyethyl) ether	111-96-6	All	Usage ban		5.0		mg/kg		
Ethylene glycol dimethyl ether	110-71-4	All	Usage ban		5.0		mg/kg	**	
Triethylene glycol dimethyl ether	112-49-2	All	Usage ban		5.0		mg/kg		



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment
Halogenated Biphenyls, halog	enated Terph	nenyls and haloge	nated Naphtha	lene	s			Maria de la companya	
Polybrominated Biphenyls	59536-65-1	All	Usage ban		5.0		mg/kg		
Polybrominated Naphthalenes	Several	All	Usage ban		1.0		mg/kg		For sum of all allocated
Polybrominated Terphenyls	Several	All	Usage ban		1.0		mg/kg	EN ISO 17881-1 (2016) for brominated compounds	Members/Substances.
Polychlorinated Biphenyls	1336-36-3	All	Usage ban		1.0		mg/kg	ISO/TR 17881-3 (2018) for	
Polychlorinated Naphthalenes	Several	All	Usage ban	1	.0 ea	ch	mg/kg	chlorinated compounds	Usage ban 1.0 mg/kg for every allocated Member/Substance.
Polychlorinated Terphenyls	61788-33-8	All	Usage ban		1.0		mg/kg		For sum of all allocated Members/Substances.
Halogenated Diarylalkanes									
Halogenated Diarylalkanes	Several	All	Usage ban	1	.0 ea	ch	mg/kg	GC-MS // Extraction following DIN EN 62321-6 (2016)	Single substances listed in Annex.
Isocyanates									
Isocyanates	Several	All	Limitation		1.0		mg/kg	EN 13130-8 (2004)	Free content applies to sum of all allocated isocyanates. Single substances listed in Annex.



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment
1etals									
Antimony, its salts and compounds	Several								
		Leather	Limitation	5	10	10	mg/kg	EN ISO 17072-1 (2019) // Acidic sweat solution	
		Textiles	Limitation	5	10	10	mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content // Usage as flame retardant: bluesign
Antimony – as content	7440-36-0	Metal parts Polymer parts Down/feather articles Limitation 60	mg/kg	DIN EN ISO 11885 (2009) EN 71-3 (2019) // Acidic solution migration simulating gastric juices DIN EN ISO 17294-2 (2017)	CRITERIA for flame retardants have to be followed.				
		Fibers/yarn Limitation			260		mg/kg	DIN EN 16711-1 (2016) // Total content	As total metal content // valid for polyester fibers (also dope dyed), but not for finished polyester textiles.
Arsenic, its salts and compounds	Several								
Arsenic – as content	7440-38-2	Textiles Metal parts Polymer parts Down/feather articles	Usage ban		0.2		mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content. Limit for total metal content:
		Leather	Usage ban		0.2		mg/kg	EN ISO 17072-1 (2019) // Acidic sweat solution	10 mg/kg
Barium, its salts and compounds	Several								
Barium - as content	7440-39-3	All	Limitation		1000)	mg/kg	EN 71-3 (2019) // Acidic solution migration simulating gastric juices DIN EN ISO 17294-2 (2017) DIN EN ISO 11885 (2009)	As extractable metal content.



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	С	Unit	Test Method// Sample Preparation	Comment
letals (continued)									
Cadmium, its salts and compounds	Several								
		Textiles Polymer parts Down/feather articles	Usage ban		0.1		mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content.
		Leather	Usage ban		0.1		mg/kg	EN ISO 17072-1 (2019) // Acidic sweat solution	
Cadmium – as content	7440-43-9	Textiles Polymer parts Down/feather articles Metal parts	Usage ban		40		mg/kg	DIN EN 16711-1 (2016) // Total content	As total metal content.
		Leather	Usage ban		40		mg/kg	EN ISO 17072-2 (2019) // Total content	
Chromium VI, its salts and compounds	Several								
		Textiles Metal parts Polymer parts Down/feather articles	Usage ban		0.5		mg/kg	EN ISO 17075-1 (2017)	As extractable metal content.
Chromium VI – as content	18540-29-9	Metal parts	Usage ban		0.5		mg/kg	EN 62321-7-1 (2016)	December of the control of the contr
		Leather	Usage ban		3.0		mg/kg	EN ISO 17075-1 (2017) EN ISO 17075-2 (2017) DIN EN ISO 4044 (2017)	For leather: Thermal pre-ageing test required in advance: ISO 10195:2018.
Chromium, its salts and compounds	Several								
	7440-47-3	Metal parts Polymer parts Down/feather articles	Limitation		60		mg/kg	DIN EN ISO 11885 (2009) EN 71-3 (2019) // Acidic solution migration simulating gastric juices DIN EN ISO 17294-2 (2017)	If products are covered with a meta layer, including a chromium layer, coating must be constantly in good condition // as extractable metal content.
	/440-47-3	Textiles	Limitation		0.5		mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content // for textiles dyed with chromium containing metal complex dyes A: 1.0 // B: 2.0 // C: 2.0 mg/kg.



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	С	Unit	Test Method// Sample Preparation	Comment
Metals (continued)									
Cobalt, its salts and compounds	Several								
		Leather	Limitation		1.0		mg/kg	EN ISO 17072-1 (2019) // Acidic sweat solution	As extractable metal content // for textiles and leather dyed with cobal
Cobalt – as content	7440-48-4	Textiles	Limitation		1.0		mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	containing metal complex dyes A: 1.0 // B: 4.0 // C: 4.0 mg/kg.
		Metal parts Polymer parts Down/feather articles	Limitation	1.0	4.0	4.0	mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content.
Copper, its salts and compounds	Several								
Copper – as content	7440-50-8	Textiles	Limitation	25	50	50	mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content.
Copper – as content	7440-30-8	Leather	Limitation	25	50	50	mg/kg	EN ISO 17072-1 (2019) // Acidic sweat solution	
Lead, its salts and compounds	Several								
		Metal parts	Usage ban		90		mg/kg	DIN EN 16711-1 (2016) // Total content	
		Leather	Usage ban		40		mg/kg	EN ISO 17072-2 (2019) // Total content	As total metal content.
Lead – as content	7439-92-1	Textiles Polymer parts Down/feather articles	Usage ban		40		mg/kg	DIN EN 16711-1 (2016) // Total content	
		Leather	Usage ban	0.2	1.0	1.0	mg/kg	EN ISO 17072-1 (2019) // Acidic sweat solution	
		Textiles Polymer parts Down/feather articles	Usage ban	0.2	1.0	1.0	mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content.



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	С	Unit	Test Method// Sample Preparation	Comment
Metals (continued)	*	* -	·				*	it	*
Mercury, its salts and compounds	Several								
		Metal parts	Usage ban		60		mg/kg	EN 71-3 (2019) // Acidic solution migration simulating gastric juices EN ISO 12846 (2012)	
Mercury as content	7439-97-6	Leather	Usage ban		0.02	2	mg/kg	EN ISO 17072-1 (2019) // Acidic sweat solution	As extractable metal content.
			Usage ban	0.02		mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution		
Nickel, its salts and compounds	Several								
		Textiles	Limitation		1.0		mg/kg	DIN EN 16711-2 (2016) // Acidic sweat solution	As extractable metal content // for textiles dyed with nickel containing metal complex dyes A: 1.0 // B: 4.0 // C: 4.0 mg/kg.
Nickel – as content	7440-02-0	Leather	Limitation		1.0		mg/kg	Acidic sweat solution	As extractable metal content // for leather dyed with nickel containing metal complex dyes A: 1.0 // B: 4.0 // C: 4.0 mg/kg.
		Metal parts Polymer parts	Usage ban for A and B	0.5	0.5	100	μg/cm² /week	EN 1811 (2011) + A1 (2015) // Release EN 12472 (2020)	As released metal content.



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment
Monomers									
Acrylamide	79-06-1	All	Usage ban		1.0		mg/kg	CEN/TS 13130-10 (2005)	
Other Chemical Substances									
2-Phenyl-2-propanol	617-94-7	All	Limitation	10	50	50	mg/kg	GC-MS // Extraction with Methanol	1
Acetophenone	98-86-2	All	Limitation		20		mg/kg	GC-MS // Extraction with Methanol	
Azodicarbonamide (ADCA)	123-77-3	All	Usage ban	100	200	200	mg/kg	Solvent Extraction // GC-MS or LC-MS or LC-DAD	
Benzyl chloride	100-44-7	All	Usage ban		1.0		mg/kg	GC-MS // Extraction with Dichloromethane	
Bisphenol A	80-05-7	All	Usage ban	1.0	10	10	mg/kg	EN ISO 18857-2 (2012) //	For usage range A: 10 mg/kg is accepted when article is not intended to come into contact with mouth.
Bisphenol AF	1478-61-1	All	Usage ban		100		mg/kg	Extraction with Methanol EN ISO 18857-2 (2012) //	
Bisphenol F	620-92-8	All	Usage ban		100		mg/kg	Extraction with THF	
Bisphenol S	80-09-1	All	Usage ban		100		mg/kg		Specific limit for leather tanning and textile aftertreatment: 500 ppm.
Cresol, all isomers	1319-77-3	All	Usage ban	See	e ison	ners		11 11	
m-Cresol	108-39-4	All	Usage ban		10		mg/kg	BVL B 82.02-8 (2001) // Extraction with KOH	10 11 5 1
o-Cresol	95-48-7	All	Usage ban		10		mg/kg	DIN EN ISO 17070 (2015) // Extraction with KOH	10 mg/kg for each isomer.
p-Cresol	106-44-5	All	Usage ban		10		mg/kg		
		Textiles	Usage ban	50	50	100	mg/kg	EN 17131 (2019)	
Formamide	75-12-7	Metal parts Polymer parts Down/feather articles Leather	Usage ban	50	50	200	mg/kg	CEN ISO/TS 16189 (2013)	



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment
Other Chemical Substances (c	ontinued)	*							*
Phenol	108-95-2	All	Limitation	20	50	100	mg/kg	LC-MS // Extraction with Methanol GC-MS // Extraction with Methanol	
Quinoline	91-22-5	All	Usage ban		50		mg/kg	LC-MS/MS // Extraction with Methanol LC-DAD // Extraction with THF or Methanol LC-MS/MS // Extraction with THF	
Isoquinoline	119-65-3	All	Usage ban		50		mg/kg	LC-MS/MS // Extraction with Methanol LC-DAD // Extraction with THF LC-DAD // Extraction with Methanol LC-MS/MS // Extraction with THF	
Siloxanes	Several	All	Usage ban						
Octamethyl cyclotetrasiloxane (D4)	556-67-2	AII	Usage ban		30		mg/kg	GC // with reference to	Usage ban for every allocated
Decamethyl cyclopentasiloxane (D5)	541-02-6	All	Usage ban		200		mg/kg	TEGEWA method (2021)	member/substance.
Dodecamethyl cyclohexasiloxane (D6)	540-97-6	All	Usage ban		200		mg/kg		
Ozone Depleting Substances									
Ozone depleting substances (CFCs) class I	Several	All	Usage ban	0	.1 ea	ch	mg/kg	GC-MS // Headspace	Usage ban for direct use in manufacturing of articles.
Ozone depleting substances (CFCs) class II	Several	All	Usage ban	0	.1 ea	ch	mg/kg	GC-MS // Headspace	See Regulation (EC) No 1005/2009 for a complete list of single substances.



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	С	Unit	Test Method// Sample Preparation	Comment
Pesticides									
Pesticides	Several	All	Limitation		0.5		mg/kg	GC-MS // ASE with Acetone/Hexane LC-MS // ASE with Acetone/Hexane GC-MS // Soxhlet Extraction with Acetone/Hexane LC-MS // Soxhlet Extraction with Acetone/Hexane	Applies to total sum of all allocated members/substances. Single substances listed in Annex.
PFAS (Poly- and perfluoroalky	/I substance	es)							
PFAS (Poly- and per- fluoroalkyl substances)	Several	All	Usage ban		50		mg/kg	EN 14582 (total fluorine) ASTM 07359 (total fluorine)	Limit refers to total fluorine content. Exceptions might be possible for specific uses, see "Guidance Sheet PFAS phase out" and PFAS statement in section 3.4. Articles need to comply latest 01 January 2025.
Perfluorohexane sulfonic acid and its derivatives	Several	All	Usage ban						Limits defined for subgroups.
Perfluorohexane sulfonic acid and its salts	Several	All	Usage ban		20		μg/kg		
Perfluorohexane sulfon amides	Several	All	Usage ban		20		μg/kg		
Perfluorohexane sulfon amidoethanols	Several	All	Usage ban		20		μg/kg	Leather: EN ISO 23702-1 (2018)	
Perfluorohexane sulfon amidoethyl (meth)acrylates	Several	All	Usage ban		20		μg/kg	Other materials: CEN/TS 15968 (2014)	
Perfluorohexane sulfon halides	Several	All	Usage ban		20		μg/kg		
Perfluorohexane sulfon polymers	Several	All	Usage ban		20		μg/kg		
Perfluorooctane sulfonic acid and its derivatives	Several	All	Usage ban		1.0		μg/m²		Single substances listed in Annex.



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	С	Unit	Test Method// Sample Preparation	Comment
Polymers									
Polyvinyl chloride	9002-86-2	All	Usage ban	See	comi	ment		Total chlorine (EN 14582) // FTIR (when chlorine detected)	Usage ban for usage range A and B Not detected // for usage range C: for special applications bluesign has the right to make an individual decision.
Solvents									
1,2-Dichloroethane	107-06-2	All	Usage ban		1.0		mg/kg	GC-MS // Headspace	
Benzene	71-43-2	All	Usage ban		5.0		mg/kg	VDA 278 (2011)	
Dichloromethane	75-09-2	All	Usage ban		5.0		mg/kg	GC-MS // Headspace	Usage ban for direct use in manufacturing of articles.
		Textiles	Usage ban		5.0		mg/kg	EN 17131 (2019)	Exceptions:
		Leather	Usage ban		5.0		mg/kg	EN ISO 19070 (2016)	Textile articles produced by solvent coating, lamination or fiber
N,N-Dimethylacetamide (DMAc)	127-19-5	Metal parts Polymer parts Down/feather articles	Usage ban		5.0		mg/kg	ISO 16189 (2021)	manufacturing - A/B/C 50 mg/kg. As residual fiber solvent in elastane and PAN fibers with Monitoring status - A: 10 mg/kg, B/C: 50 mg/kg. Aramid fibers: For special applications bluesign technologies has the right to make an individual decision.
		Textiles	Usage ban		5.0		mg/kg	EN 17131 (2019)	Exceptions for textiles: Specific limits are defined for articles
N,N-Dimethylformamide (DMF)	68-12-2	Metal parts Polymer parts Down/feather articles	Usage ban		5.0		mg/kg	ISO 16189 (2021)	produced by lamination and fiber manufacturing - A/B/C = 50 mg/kg or by solvent coating, A/B/C
		Leather	Usage ban		5.0		mg/kg	EN ISO 19070 (2016)	= 50/50/250 mg/kg. For PAN fibers bluesign has the right to make individual decisions.
		Leather	Usage ban	10	10	100	mg/kg	EN ISO 19070 (2016)	
N-Ethyl-2-pyrrolidone (NEP)	2687-91-4	Metal parts Polymer parts Down/feather articles	Usage ban	10	10	100	mg/kg	ISO 16189 (2021)	
		Textiles	Usage ban	10	10	100	mg/kg	EN 17131 (2019)	



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment
Solvents (continued)									
		Textiles	Usage ban	10	10	100	mg/kg	EN 17131 (2019)	Exception is valid for Aramid fibers: for special applications bluesign has the right to make an individual decision.
N-Methylpyrrolidone (NMP)	872-50-4	Metal parts Polymer parts Down/feather articles	Usage ban	10	10	100	mg/kg	ISO 16189 (2021)	
		Leather	Usage ban	10	10	100	mg/kg	EN ISO 19070 (2016)	
Trichloroethylene	79-01-6	All	Usage ban		5.0		mg/kg	GC-MS // Headspace	
Tetrachloroethylene	127-18-4	All	Usage ban		1.0		mg/kg	GC-MS // Headspace	
Toluene	108-88-3	All	Usage ban	10	50	50	mg/kg	GC-MS // Headspace	Usage ban not valid for solvent coating, laminating and painting/lacquering.
Xylene, all isomers	1330-20-7	All	Usage ban	50	100	100	mg/kg	GC-MS // Headspace	Sum of all isomers. Usage ban not valid for solvent coating, laminating and painting/lacquering.
Tin-organic Compounds						41.			
Tin-organic Compounds - as mono-, di- and tri-, tetraalkyltin organics	Several	All	Usage ban						
Methyltin compounds	Several		Usage ban						
Monomethyltin compounds (MMT)	Several	All	Usage ban		2.0		mg/kg		
Dimethyltin compounds (DMT)	Several	All	Usage ban		0.5		mg/kg	CEN ISO/TS 16179 (2012)	Usage ban for all allocated Members/Substances.
Trimethyltin compounds (TMT)	Several	All	Usage ban		0.5		mg/kg		
Ethyltin compounds	Several		Usage ban						
Tetraethyltin compounds (TET)	Several	All	Usage ban		1.0		mg/kg		



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	C	Unit	Test Method// Sample Preparation	Comment
Fin-organic Compounds (cont	inued)								
Propyltin compounds	Several		Usage ban						
Dipropyltin compounds (DPT)	Several	All	Usage ban		1.0		mg/kg		
Tripropyltin compounds (TPT)	Several	All	Usage ban		0.5		mg/kg		
Butyltin compounds	Several		Usage ban						
Monobutyltin compounds (MBT)	Several	All	Usage ban		1.0		mg/kg		
Dibutyltin compounds (DBT)	Several	All	Usage ban		1.0		mg/kg		
Tributyltin compounds (TBT)	Several	All	Usage ban		0.5		mg/kg		
Tetrabutyltin compounds (TeBT)	Several	All	Usage ban		0.5		mg/kg		
Hexyltin compounds	Several		Usage ban						
Tricyclohexyltin compounds (TCyHT)	Several	All	Usage ban		0.5		mg/kg	CEN ISO/TS 16179 (2012)	Usage ban for all allocated Members/Substances.
Octyltin compounds	Several		Usage ban						Piembersy Substances.
Monooctyltin compounds (MOT)	Several	All	Usage ban		2.0		mg/kg		
Dioctyltin compounds (DOT)	Several	All	Usage ban		1.0		mg/kg		
Trioctyltin compounds (TOT)	Several	All	Usage ban		0.5		mg/kg		
Tetraoctyltin compounds (TeOT)	Several	All	Usage ban		0.5		mg/kg		
Phenyltin compounds	Several		Usage ban						
Monophenyltin compounds (MPhT)	Several	All	Usage ban		1.0		mg/kg		
Diphenyltin compounds (DPhT)	Several	All	Usage ban		2.0		mg/kg		
Triphenyltin compounds (TPhT)	Several	All	Usage ban		0.5		mg/kg		



Chemical Name	CAS Number	Sector of Use	Limit Type	A	В	С	Unit	Test Method// Sample Preparation	Comment
UV stabilizers									
UV 320	3846-71-7	All	Usage ban		1000		mg/kg		
UV 327	3864-99-1	All	Usage ban		1000		mg/kg	ISO 24040 // Extraction with	
UV 328	25973-55-1	All	Usage ban		1000			T-1-L-L-C UCC NC	
UV 350	36437-37-3	All	Usage ban		1000		mg/kg		



4. Appendices

Chemical Name	CAS Number	Chemical Name	CAS Numbe
Arylamines	18	Xylidines and its salts - with the exception of those	
2,4-Diaminoanisole and its salts	Several	specified elsewhere	Several
2,4-Diaminoanisole	615-05-4	2,4-Xylidine and its salts	Several
2,4-Diaminoanisole sulphate	39156-41-7	2,4-Xylidine	95-68-1
2,4-Diaminotoluene and its salts	Several	2,6-Xylidine and its salts	Several
2,4-Diaminotoluene	95-80-7	2,6-Xylidine	87-62-7
2-Naphthylamine and its salts	Several	NIA-A-I-I-II	C
2-Naphthylamine	91-59-8	Nitrotoluidines and its salts	Several
2-Naphthylammoniumacetate	553-00-4	2-Amino-4-nitrotoluene and its salts	Several
4,4'-Diaminodiphenylmethane and its salts	Several	2-Amino-4-nitrotoluene	99-55-8
4,4'-Diaminodiphenylmethane	101-77-9	Anisidines and its salts	Several
4,4'-Methylenebis-(2-chloraniline) and its salts	Several	Anisidine (o-, p-isomers)	29191-52-4
4,4'-Methylenebis-(2-chloraniline)	101-14-4	2-Anisidine and its salts	Several
4-Amino-3-fluorophenol and its salts	Several	2-Anisidine	90-04-0
4-Amino-3-fluorophenol	399-95-1		_
4-Aminobiphenyl and its salts	Several	Benzidines and its salts	Several
4-Aminobiphenyl	92-67-1	3,3'-Dichlorobenzidine and its salts - with the exception of those	
4-Chloroaniline and its salts	Several	specified elsewhere	Several
4-Chloroaniline	106-47-8	3,3'-Dichlorobenzidine	91-94-1
6-Amino-2-ethoxynaphthalene and its salts	Several	o-Dianisidines and its salts - with the exception of those	
6-Amino-2-ethoxynaphthalene	293733-21-8	specified elsewhere	Several
o-Aminoazotoluene and its salts	Several	3,3'-Dimethoxybenzidine	119-90-4
o-Aminoazotoluene	97-56-3	3,3'-Dimethylbenzidine and its salts	Several
p-Aminoazobenzene and its salts	Several	3,3'-Dimethylbenzidine	119-93-7
p-Aminoazobenzene	60-09-3	Benzidine and its salts	Several
Trimothylanilines and its salts	Several	Benzidine	92-87-5
Trimethylanilines and its salts	Several	Benzidine acetate	36341-27-2
2,4,5-Trimethylaniline and its salts	Several	Benzidine dihydrochloride	531-85-1
2,4,5-Trimethylaniline	137-17-7	Benzidine, sulfate	21136-70-9
2,4,5-Trimethylaniline hydrochloride	21436-97-5	Benzidine, sulfate (1:1)	531-86-2



Chemical Name	CAS Number	Chemical Name	CAS Number
Arylamines (continued)	***	Chlorinated Benzenes and Toluenes (continued)	
Talvidines and its salts	Coveral	1,4-Dichlorobenzene	106-46-7
Toluidines and its salts	Several	Trichlorobenzenes, all isomers	Several
4,4'-Methylenedi-o-toluidine and its salts	Several	1,2,3-Trichlorobenzene	87-61-6
4,4'-Methylenedi-o-toluidine	838-88-0	1,2,4-Trichlorobenzene	120-82-1
m-Toluidine and its salts	Several	1,3,5-Trichlorobenzene	108-70-3
m-Toluidine	108-44-1	Tetrachlorobenzenes, all isomers	Several
o-Toluidine and its salts	Several	1,2,3,4-Tetrachlorobenzene	634-66-2
o-Toluidine	95-53-4	1,2,3,5-Tetrachlorobenzene	634-90-2
p-Cresidine and its salts	Several	1,2,4,5-Tetrachlorobenzene	95-94-3
p-Cresidine	120-71-8	Pentachlorobenzene	608-93-5
p-Toluidine and its salts	Several	Hexachlorobenzene	118-74-1
p-Toluidine	106-49-0	Chlorinated Toluenes	Several
Dianilines and its salts	Several	Chlorotoluene, unspecific mixture	25168-05-2
4,4'-Oxydianiline and its salts	Several	Pentachlorotoluene	877-11-2
4,4'-Oxydianiline	101-80-4	Trichlorotoluenes, all isomers	Several
4,4'-Thiodianiline and its salts	Several	2,3,4-Trichlorotoluene	7359-72-0
4,4'-Thiodianiline	139-65-1	2,3,6-Trichlorotoluene	2077-46-5
Chlorotoluidines and its salts	Several	2,4,5-Trichlorotoluene	6639-30-1
4-Chloro-2-toluidine and its salts	Several	2,4,6-Trichlorotoluene	23749-65-7
4-Chloro-2-toluidine	95-69-2	3,4,5-Trichlorotoluene	21472-86-6
4-chloro-2-toluidine hydrochloride	3165-93-3	a,a,a-Trichlorotoluene	98-07-7
Biocides		Dichlorotoluenes, all isomers	Several
o-Phenylphenol	90-43-7	2,3-Dichlorotoluene	32768-54-0
Chlorinated Benzenes and Toluenes		2,4-Dichlorotoluene	95-73-8
Chlorinated Benzenes	Several	2,5-Dichlorotoluene	19398-61-9
Monochlorobenzene	108-90-7	2,6-Dichlorotoluene	118-69-4
Dichlorobenzenes, all isomers	Several	3,4-Dichlorotoluene	95-75-0
1,2-Dichlorobenzene	95-50-1	3,5-Dichlorotoluene	25186-47-4
1.3-Dichlorobenzene	541-73-1	Monochlorotoluenes, all isomers	Several



Chemical Name	CAS Number	Chemical Name	CAS Numbe
Dioxins and Furans (continued), Group 4 and 5		Anthophyllite	77536-67-5
Dioxins and Furans - Group 5	Several	Charactile	12001-29-5
1,2,3,4,7,8-Hexabromodibenzo-p-dioxin	110999-44-5	Chrysotile	132207-32-0
1,2,3,6,7,8-Hexabromodibenzo-p-dioxin	110999-45-6	Crocidolite	12001-28-4
1,2,3,7,8,9-Hexabromodibenzo-p-dioxin	110999-46-7	Tremolite	77536-68-6
1,2,3,7,8-Pentabromodibenzofuran	107555-93-1	Flame retardants	
Dioxins and Furans - Group 4	Several	Brominated alkyl alcohols	Several
1,2,3,7,8-Pentabromodibenzo-p-dioxin	109333-34-8	2,2-Bis(bromomethyl)-1,3-propanediol	3296-90-0
2,3,4,7,8-Pentabromodibenzofuran	131166-92-2	1.0	36483-57-5
2,3,7,8-Tetrabromodibenzofuran	67733-57-7	1-Propanol, 2,2-dimethyl-, tribromo derivates	1522-92-5
2,3,7,8-Tetrabromodibenzo-p-dioxin	50585-41-6	2,3-Dibromopropan-1-ol-(2,3-DBPA)	96-13-9
Dioxins and Furans - Group 1 and 2	Several	Bis(2,3-dibromopropyl) phosphate	5412-25-9
Dioxins and Furans - Group 2	Several	Tetrabromobisphenol A	79-94-7
1,2,3,4,7,8-Hexachlorodibenzofuran	70648-26-9	Tetrabromobisphenol A bis(2,3-dibromopropylether)	21850-44-2
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	39227-28-6	Tri(aziridin-1-yl) phosphine oxide	545-55-1
1,2,3,6,7,8-Hexachlorodibenzofuran	57117-44-9	Trimethyl phosphate	512-56-1
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	57653-85-7	Tri-o-cresyl phosphate	78-30-8
1,2,3,7,8,9-Hexachlorodibenzofuran	72918-21-9	Tris(2,3-dibromopropyl) phosphate	126-72-7
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	19408-74-3	Tris-(2-chloro-1-methylethyl) phosphate	13674-84-5
1,2,3,7,8-Pentachlorodibenzofuran	57117-41-6	Tris(2-chloroethyl) phosphate	115-96-8
2,3,4,6,7,8-Hexachlorodibenzofuran	60851-34-5	Tris(methylphenyl) phosphate	1330-78-5
Dioxins and Furans - Group 1	Several	Tris-[2-chloro-1-(chloromethyl)ethyl] phosphate	13674-87-8
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	40321-76-4	Trixylyl phosphate	25155-23-1
2,3,4,7,8-Pentachlorodibenzofuran	57117-31-4	Hexabromocyclododecan, all isomers - group for all major	
2,3,7,8-Tetrachlorodibenzofuran	51207-31-9	diastereoisomers identified	Several
2,3,7,8-Tetrachlorodibenzo-p-dioxin	1746-01-6	μ-Hexabromocyclododecane	134237-52-
ibers		1,2,5,6,9,10-Hexabromocyclododecane	3194-55-6
Asbestos	Several	Hexabromocyclododecane	25637-99-4
Actinolite	77536-66-4	a-Hexabromocyclododecane	134237-50-
Amosite	12172-73-5	β-Hexabromocyclododecane	134237-51-



Chemical Name	CAS Number
Flame retardants (continued)	***
Chlorinated Paraffins, all chain lengths	Several
Paraffin wax, chlorinated	63449-39-8
Paraffin, C10-C13, chlorinated	85535-84-8
Paraffin, C14-C17, chlorinated	85535-85-9
Paraffin, C18-C28, chlorinated	85535-86-0
Polybrominated diphenyl ethers	Several
Monobromodiphenyl ether (MonoBDE)	Several
2-Bromodiphenyl ether	7025-06-1
3-Bromodiphenyl ether	6876-00-2
4-Bromodiphenyl ether	101-55-3
Tribromodiphenyl ether (TriBDE)	49690-94-0
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9
Pentabromodiphenyl ether (PentaBDE)	32534-81-9
Hexabromodiphenyl ether	36483-60-0
Heptabromodiphenyl ether	68928-80-3
Octabromodiphenyl ether	32536-52-0
Nonabromodiphenyl ether	63936-56-1
Decabromodiphenyl ether	1163-19-5
Polybrominated diphenyl ethanes	Several
Decabromodiphenylethane	84852-53-9



Chemical Name	CAS Number	Chemical Name	CAS Number
Halogenated Diarylalkanes		Pesticides	
Monomethyl-dibromo-diphenyl methane	99688-47-8	Aldrin	309-00-2
Monomethyl-dichloro-diphenyl methane	81161-70-8	Azinphos ethyl	2642-71-9
Monomethyl-tetrachloro-diphenyl methane	76253-60-6	Azinphos methyl	86-50-0
Isocyanates	,	Bromophos-ethyl	4824-78-6
1,3-bis(isocyanatomethyl)benzene	3634-83-1	Captafol	2425-06-1
Hexamethylene-di-isocyanate	822-06-0	Carbaryl	63-25-2
Isophorone-di-isocyanate	4098-71-9	Chlordane	57-74-9
Tetramethylxylene-di-isocyanate	2778-42-9	Chlordecone	143-50-0
Diphenylmethane-di-isocyanates	Several	Chlordimeform	6164-98-3
Diphenylmethane-2,2-di-isocyanate	2536-05-2	Chlorfenvinphos	470-90-6
Diphenylmethane-2,4-di-isocyanate	5873-54-1	Chlorobenzilate	510-15-6
Diphenylmethane-4,4-di-isocyanate	101-68-8	Clothianidin	210880-92-5
Methylenediphenyl diisocyanate - mixed isomers	26447-40-5	Coumaphos	56-72-4
Toluene-di-isocyanates	Several	Cyfluthrin	68359-37-5
Toluene-2,4-di-isocyanate	584-84-9	Cyhalothrin, lambda	91465-08-6
Toluene-2,6-di-isocyanate	91-08-7	Cypermethrin	52315-07-8
		Deltamethrin	52918-63-5
		Diazinon	333-41-5
		Dichlorprop	120-36-5
		Dicrotophos	141-66-2
		Dieldrine	60-57-1
		Dimethoate	60-51-5
		Dinotefuran	165252-70-0
		Endosulfan, alpha	959-98-8
		Endosulfan, beta	33213-65-9
		Endrin	72-20-8



hemical Name	CAS Number	Chemical Name	CAS Numbe
esticides (continued)		Phosphamidon	13171-21-6
Esfenvalerate	66230-04-4	Profenophos	41198-08-7
Ethyl parathion	56-38-2	Propetamphos	31218-83-4
Fenvalerate	51630-58-1	Quinalphos	13593-03-8
Heptachlor	76-44-8	Strobane	8001-50-1
Heptachlor epoxide	1024-57-3	Telodrin	297-78-9
Imidacloprid (ISO)	105827-78-9	Thiamethoxam	153719-23-4
	138261-41-3	Tiacloprid	111988-49-9
Isodrin	465-73-6	Toxaphene	8001-35-2
Kelevan	4234-79-1	Tribufos (DEF)	78-48-8
Lindane (ISO)	58-89-9	Trifluralin - containing < 0.5 ppm NPDA	1582-09-8
Malathion	121-75-5	Hexachlorocyclohexane, all isomers	608-73-1
MCPA	94-74-6	Acetamipirid, its salts, esters and compounds	Several
МСРВ	94-81-5	Acetamipirid (ISO)	135410-20-
Mecoprop	93-65-2	Acetamipirid [2]	160430-64-8
Methamidophos	10265-92-6	Dinoseb, its salts, esters and acetate	Several
Methoxychlor	72-43-5	Dinoseb	88-85-7
Methyl parathion	298-00-0	2,4-Dichlorophenoxyacetic acid, salts, esters and	Coveral
Mevinophos	7786-34-7	compounds	Several
Mirex	2385-85-5	2,4-Dichlorophenoxy acetic acid	94-75-7
Monocrotophos	6923-22-4	Nitenpyram, its salts, esters and compounds	Several
o,p'-Dichlorodiphenyl-dichloroethane	53-19-0	Nitenpyram [1]	150824-47-8
o,p'-Dichlorodiphenyl-dichloroethylene	3424-82-6	Nitenpyram [2]	120738-89-8
o,p'-Dichlorodiphenyl-trichloroethane and its isomers - preparations containing DDT and its isomers	789-02-6	2,4,5-Trichlorophenoxyacetic acid, its salts, esters and compounds	Several
p,p'-Dichlorodiphenyldichloroethane	72-54-8	2,4,5-Trichlorophenoxy acetic acid	93-76-5
p,p'-Dichlorodiphenyl-dichloroethylene	72-55-9		
p,p'-Dichlorodiphenyl-trichloroethane and its isomers - preparations containing DDT and its isomers	50-29-3		
Perthane	72-56-0		



hemical Name	CAS Number	Chemical Name	CAS Numbe
FAS (Poly- and perfluoroalkyl substances)		Potassium perfluorooctanoate	2395-00-8
Perfluorooctane sulfonic acid and its derivatives	Several	Perfluorooctanoic acid related substances	Several
Perfluorooctane sulphonic acid and its salts	Several	Methyl perfluorooctanoate	376-27-2
Ammonium perfluorooctane sulfonate	29081-56-9	Ethyl perfluorooctanoate	3108-24-5
Diethanolamine perfluorooctane sulfonate	70225-14-8	Perfluorooctylethyl alcohols	Several
Lithium perfluorooctane sulfonate	29457-72-5	Perfluorooctylethanol	678-39-7
Perfluorooctane sulfonate	45298-90-6	Perfluorooctylethyl olefins	Several
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	Perfluorooctylethene	21652-58-4
Potassium heptadecafluoro-octane-1-sulphonate	2795-39-3	Perfluorooctylethyl halides	Several
Perfluorooctane sulfon amidoethanols	Several	1H,1H,2H,2H-Perfluorodecyliodide	2043-53-0
1-Octanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,	3- 4151 50.3	Heptadecafluoro-1-iodooctane	507-63-1
heptadecafluoro-	4151-50-2	Pentadecafluorooctyl fluoride	335-66-0
1-Octanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,	1691-99-2	Perfluorooctylethyl acrylate or methacrylate	Several
7,7,8,8,8- heptadecafluoro-N-(2-hydroxyethyl)-	1091-99-2	Perfluorooctylethyl polymers	Several
Heptadecafluoro-N-methyloctane sulfonamideoethanol	24448-09-7	Perfluorocarboxylic acids (C9-C14) related substances	Several
Perfluorooctane sulfon polymers	Several	Perfluorodecanoic acid related substances	Several
Perfluorooctane sulfon halides	Several	10:2 Fluorotelomer alcohol - (10:2 FTOH)	865-86-1
1-Octanesulfonyl fluoride, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluoro-	307-35-7		
Perfluorooctane sulfon amides	Several		
Heptadecafluoro-N-methyloctane sulfonamide	31506-32-8		
Perfluorooctane sulfonamide	754-91-6		
Perfluorooctane sulfon amidoethyl (meth)acrylates	Several		
Perfluorohexanoic acid and its salts	Several		
Perfluorohexanoic acid (PFHxA)	307-24-4		
Perfluorooctanoic acid and its salts	Several		
Ammonium pentadecafluoro octanoate	3825-26-1		
Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-,	335-95-5		
sodium salt (1:1)	333-93-3		



hemical Name	CAS Number	Chemical Name	CAS Numbe
FAS (Poly- and perfluoroalky) substances)		Potassium perfluorooctanoate	2395-00-8
Perfluorooctane sulfonic acid and its derivatives	Several	Perfluorooctanoic acid related substances	Several
Perfluorooctane sulphonic acid and its salts	Several	Methyl perfluorooctanoate	376-27-2
Ammonium perfluorooctane sulfonate	29081-56-9	Ethyl perfluorooctanoate	3108-24-5
Diethanolamine perfluorooctane sulfonate	70225-14-8	Perfluorooctylethyl alcohols	Several
Lithium perfluorooctane sulfonate	29457-72-5	Perfluorooctylethanol	678-39-7
Perfluorooctane sulfonate	45298-90-6	Perfluorooctylethyl olefins	Several
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	Perfluorooctylethene	21652-58-4
Potassium heptadecafluoro-octane-1-sulphonate	2795-39-3	Perfluorooctylethyl halides	Several
Perfluorooctane sulfon amidoethanols	Several	1H,1H,2H,2H-Perfluorodecyliodide	2043-53-0
1-Octanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-	4454 50 0	Heptadecafluoro-1-iodooctane	507-63-1
heptadecafluoro-	4151-50-2	Pentadecafluorooctyl fluoride	335-66-0
1-Octanesulfonamide, N-ethyl-1,1,2,2,3,3,4,4,5,5,6,6,	1691-99-2	Perfluorooctylethyl acrylate or methacrylate	Several
7,7,8,8,8- heptadecafluoro-N-(2-hydroxyethyl)-		Perfluorooctylethyl polymers	Several
Heptadecafluoro-N-methyloctane sulfonamideoethanol	24448-09-7	Perfluorocarboxylic acids (C9-C14) related substances	Several
Perfluorooctane sulfon polymers	Several	Perfluorodecanoic acid related substances	Several
Perfluorooctane sulfon halides	Several	10:2 Fluorotelomer alcohol - (10:2 FTOH)	865-86-1
1-Octanesulfonyl fluoride, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-	307-35-7		
Perfluorooctane sulfon amides	Several		
Heptadecafluoro-N-methyloctane sulfonamide	31506-32-8		
Perfluorooctane sulfonamide	754-91-6		
Perfluorooctane sulfon amidoethyl (meth)acrylates	Several		
Perfluorohexanoic acid and its salts	Several		
Perfluorohexanoic acid (PFHxA)	307-24-4		
Perfluorooctanoic acid and its salts	Several		
Ammonium pentadecafluoro octanoate	3825-26-1		
Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, sodium salt (1:1)	335-95-5		
Perfluorooctanoic acid (PFOA)	335-67-1		



Chemical Name	CAS Number	Chemical Name	CAS Numbe
Plasticizers		1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters	68515-51-5
Phthalic acid esters	Several	1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl	COC 40, 02, 1
Bis-(2-methoxyethyl) phthalate	117-82-8	diesters	68648-93-1
Butylbenzyl phthalate	85-68-7	Di-iso-nonyl phthalate - (DINP)	Several
Dibutyl phthalate	84-74-2	Di-iso-nonyl phthalate - iso & n-Butene based	68515-48-0
Di-cyclohexyl phthalate	84-61-7	Di-iso-decyl phthalate	Several
Diethyl phthalate	84-66-2	Di-iso-decyl phthalate [1]	26761-40-0
Diethylhexyl phthalate	117-81-7	Di-iso-decyl phthalate [2]	68515-49-1
Di-iso-butyl phthalate	84-69-5	Polyaromatic hydrocarbons (PAHs)	
Di-iso-hexyl phthalate	71850-09-4	Acenaphthene	83-32-9
Di-iso-octyl phthalate	27554-26-3	Acenaphthylene	208-96-8
Di-iso-pentyl phthalate	605-50-5	Anthracene	120-12-7
Dimethyl phthalate	131-11-3	Benzo[rst]pentaphene	189-55-9
Di-n-hexyl phthalate	84-75-3	Dibenzo[b,def]chrysene	189-64-0
Di-n-octyl phthalate	117-84-0	Dibenzo[def,p]chrysene	191-30-0
Dinonyl phthalate	84-76-4	Cyclopenta[c,d]pyrene	27208-37-3
Di-n-pentyl phthalate	131-18-0	Benzo(ghi)perylene	191-24-2
Di-n-propyl phthalate	131-16-8	Fluoranthene	206-44-0
n-Pentyl-isopentyl phthalate	776297-69-9	Fluorene	86-73-7
1,2-Benzenedicarboxylic acid, benzyl C7-9-branched and linear alkyl esters	68515-40-2	Indeno(1,2,3-cd) pyrene	193-39-5
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkylesters, C7-	71888-89-6	Methylpyrene, 1-	2381-21-7
rich	/1000-09-0	Naphthalene	91-20-3
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear	68515-42-4	Naphtho[1,2,3,4-def]chrysene	192-65-4
alkylesters	00313-42-4	Phenanthrene	85-01-8
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	Pyrene	129-00-0
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0		
1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters or mixed decyl and hexyl and octyl diesters	Several		



5. <u>Usage range</u>

Consumer goods	Usage range	Usage range	Usage range	
	Α	в с		
Automotive			×	Seat fabric - usage range B
Baby wear and textile articles (0 – 3 years)	x			
Backpack			x	Shoulder straps, harness and backrest that have contact with the skin must be usage range A
Bed linen	x			
Bike shorts	x			
Blouse		x		
Bra	×			
Camping Chair		×		
Carpet		×		
Cleaning cloth		×		
Curtain			X	
Dress		×		
Furnishing fabric		×		e.g. Seat cover
Geo textiles			x	e.g. building-/construction textiles, erosion protective textiles
Gloves/Mittens	x			
Harness		×		



Consumer goods	Usage range	Usage range	Usage range	
	A	В	С	
Headdress	X			
Hammock		X		
Jacket		×		
Leggings	X			
Long sleeve t-shirt	X			
Luggage			X	
Mattress		×		
Mosquito net			×	
Pants		X		
Personal Flotation Device (PFD)		x		
Pullover		×		
Ropes & slings		x	x	Depends on use
Scarf	×			
Shirt		×		



Consumer goods	Usage range	Usage range	Usage range	
	A	В	С	
Shoe components:				
- Insole	×			
- Midsole foams		×		
- Outsole			×	
- Trim & accessories			×	
- Upper & lining materials	×			
- Outer part of upper			x	
Skirt		×		
Sleeping bag		×		Lining must be usage range A
Socks	x			
Sport shirt	x			
Sweatshirt		x		
Swim wear	x			
Tent			x	Tent floor must be usage range E
Tie		x		
Tights	x			
Towel		×		
T-Shirt	×			
Umbrella			x	
Underpants (long/short)	×			
Undershirt	×			



6. <u>Test items</u>

Test Item	Textiles from natural fibres	Textiles from synthetic fibres	Additional testing for coated or printed textiles	Leather	Plastics and other synthetic materials (PU, PVC, Rubber, TPU, TPR, EVA, etc.)	Metal parts
Colorants						
with carcinogenic potential	•	•		•	-	-
with allergenous potential	0	•		0	_	-
banned for other reasons	•	•		•	_	-
Flame Retardants (Required if sample declared with functional finishing)	0	0		-	0	-
Fluorinated Substances		•				
Perfluorooctane sulfonic acid / Perfluorooctane sulfonate (PFOS) (Required if sample declared with stain/water repellent finishing)	O	0		0	-	-
Perfluorocarboxylic acids and salts [PFHxA, PFOA] (Required if sample declared with stain/water repellent finishing)	0	0		0	-	-



Test Item	Textiles from natural fibres	Textiles from synthetic fibres	Additional testing for coated or printed textiles	Leather	Plastics and other synthetic materials (PU, PVC, Rubber, TPU, TPR, EVA, etc.)	Metal parts
Glycols	-	-		-	-	-
Halogenated Biphenyls, Terphenyls and Naphthalenes	0	0		0	0	-
Halogenated Diarylalkanes	0	0		-	0	_
Isocyanates (Required for PU and for relevant functional finishes)	0	0	PU ●	-	PU ●	-
Monomers						
Acrylamide	0	0		-	0	-
Other Chemical Substances						
Bisphenol A	O	0		_	•	-
Cresol, all isomers	0	0		0	-	_
Dimethylfumarate (Material with direct skin contact; required if the product is packaged with any form of anti-mold agent)	0	0		0	0	-
o-Phenylphenol	0	0		•	_	-
2-Phenyl-2-propanol	-	_		_	EVA ●	_
Pesticides	0	-1		0	-	_
Plasticizers	-	-	•	-	•	-
Polyaromatic Hydrocarbons (PAHs) incl. Benzo(a)pyrene	-	-	•	-	•	-



Test Item	Textiles from natural fibres	Textiles from synthetic fibres	Additional testing for coated or printed textiles	Leather	Plastics and other synthetic materials (PU, PVC, Rubber, TPU, TPR, EVA, etc.)	Metal parts
Polymers						
Polyvinylchloride (PVC)	-	_	•	-	•	-
Solvents						
Benzene	_	_		_	-	_
1,2-Dichloroethane	-	_		-	_	_
Dichloromethane	-	-		-	-	-
N,N-Dimethylacetamide [DMAc]	-	0	0	01	0	-
N,N-Dimethylformamide [DMF]	-	-	•	● 1	0	-
N-Ethyl-2-pyrrolidone [NEP]	0	0		0	0	-
N-Methylpyrrolidone [NMP]	0	0		0	0	-
Tetrachloroethylene	0	0		0	0	_
Toluene	_	-	•	● 1	•	_
Trichloroethylene	0	0		•	0	_
Xylene, all isomers	_	_		_	-	_
Tin Organic Compounds	0	0	•	●1	•	_

CAS-numbers, test methods, complete chemicals list: see RSL

- Testing strongly recommended Testing recommended
- 0
- Substances or group of substances with high probability not relevant Only if finishing of leather includes coating with solvents